



	Motor	Potencia		aumento			vmax	P.V.P iva no incl.	
		kw	cv	kw	cv	nm			
Modelos - Gasolina									
A - W168	A 140	60	82	7	10	10	*	consulta	
A - W168	A 160	75	102	10	14	15	*	consulta	
A - W168	A 190	92	125	11	15	17	*	consulta	
A - W168	A 210 Evolution	103	140	11	15	17	*	consulta	

Modelos - Diesel

A - W168	A 160 CDI	44	60	11	15	25		consulta
A - W168	A 160 CDI	55	75	11	15	25		consulta
A - W168	A 170 CDI	66	90	18	24	65		consulta
A - W168	A 170 CDI	70	95	18	24	65		consulta

Modelos - Gasolina

A - W169	A 150	70	95	7	10	10	*	consulta
A - W169	A 160	70	95	7	10	10	*	consulta
A - W169	A 170	85	116	10	14	15	*	consulta
A - W169	A 180	85	116	10	14	15	*	consulta
A - W169	A 200	100	136	11	15	17	*	consulta
A - W169	A 200 Turbo	142	193	20	27	50	*	consulta

Modelos - Diesel

A - W169	A 160 CDI	60	82	22	30	70		consulta
A - W169	A 180 CDI	80	109	22	30	70		consulta
A - W169	A 200 CDI	103	140	18	24	65		consulta

Modelos - Gasolina

B - W245	B 150	70	95	7	10	10	*	consulta
B - W245	B 160	70	95	7	10	10	*	consulta
B - W245	B 170	85	116	10	14	15	*	consulta
B - W245	B 200	100	136	11	15	17	*	consulta
B - W245	B 200 Turbo	142	193			0		consulta



Modelos - Diesel

B - W245	B 180 CDI	80	109	22	30	70		consulta
B - W245	B 200 CDI	103	140	18	24	65		consulta

Modelos - Gasolina

CLC	160 BlueEFFICIENCY	95	129	13	18	25	*	consulta
CLC	180 K	105	143	10	14	15	*	consulta
CLC	200 K	135	184	10	14	15	*	consulta
CLC	230	150	204	10	14	15	*	consulta
CLC	250	150	204	10	14	15	*	consulta
CLC	350	200	272	13	18	25	*	consulta

Modelos - Diesel

CLC	200 CDI	90	122	20	27	65		consulta
CLC	220 CDI	110	150	20	27	65		consulta
CLC	AMG 30 CDI	170	231	20	27	65		consulta

Modelos - Gasolina

C - W202	C180	90	122	10	14	15	*	consulta
C - W202	C 180	90	122	10	14	15	*	consulta
C - W202	C 200	100	136	11	15	15	*	consulta
C - W202	C 230	110	150	11	15	17	*	consulta
C - W202	C 240	125	170	11	15	18	*	consulta
C - W202	C 230K	142	193	11	15	18	*	consulta
C - W202	C 280 R6	145	197	13	18	20	*	consulta
C - W202	C 280 V6	150	204	13	18	20	*	consulta
C - W202	C 36 AMG	210	286	13	18	22	*	consulta
C - W202	C 43 AMG	225	306	15	20	30	*	consulta



Modelos - Diesel

C - W202	C 220 D	72	98	10	14	18		consulta
C - W202	C 200 CDI	75	102	20	27	65		consulta
C - W202	C 220 CDI	92	125	20	27	65		consulta
C - W202	C 250 TD	110	150	23	31	70		consulta

Modelos - Gasolina

C - W203	C180	95	129	10	14	15	*	consulta
C - W203	C 180 K 1.8	105	143	10	14	15	*	consulta
C - W203	C 200 K	120	163	10	14	15	*	consulta
C - W203	C 200 K 1.8	135	184	10	14	15	*	consulta
C - W203	C 230 K 1.8	142	193	10	14	15	*	consulta
C - W203	C 230 V6 2.5	150	204	10	14	15	*	consulta
C - W203	C 240	125	170	11	15	18	*	consulta
C - W203	C 280 V6 3.0	170	231	11	15	18	*	consulta
C - W203	C 320	160	218	13	18	25	*	consulta
C - W203	C 350	200	272	13	18	25	*	consulta
C - W203	C 32K AMG	260	354	13	18	22	*	consulta
C - W203	C 55 AMG	270	367	13	18	22	*	consulta

Modelos - Diesel

C - W203	C 200 CDI	85	116	20	27	65		consulta
C - W203	C 200 CDI	90	122	20	27	65		consulta
C - W203	C 220 CDI	105	143	18	24	60		consulta
C - W203	C 220 CDI	110	150	18	24	60		consulta
C - W203	C 270 CDI	125	170	20	27	65		consulta
C - W203	C 320 CDI	165	224	23	31	70		consulta



Modelos - Gasolina

C - W204	C 180 K	115	156	10	14	15	*	consulta
C - W204	C180 CGI	115	156	26	35	60		consulta
C - W204	C 200 K	135	184	10	14	15	*	consulta
C - W204	C 200 CGI	135	184	26	35	40		consulta
C - W204	C 250 CGI	150	204	18	24	30		consulta
C - W204	C 230	150	204	10	14	15	*	consulta
C - W204	C 280	170	231	11	15	18	*	consulta
C - W204	C 300	170	231	11	15	18	*	consulta
C - W204	C 350	200	272	13	18	25	*	consulta
C - W204	C 350 CGI	215	292	11	15	18	*	consulta
C - W204	C 63 AMG	336	457	35	48	30		consulta

Modelos - Diesel

C - W204	C 180 CDI	88	120	23	31	70		consulta
C - W204	C 200 CDI	100	136	18	24	60		consulta
C - W204	C 220 CDI	125	170	21	29	70		consulta
C - W204	C 250 CDI	150	204	23	31	70		consulta
C - W204	C 320 CDI	165	224	26	35	85		consulta
C - W204	C 350 CDI	170	231	26	35	70		consulta

Modelos - Gasolina

CL - W215	CL 500	225	306	18	24	30	*	consulta
CL - W215	CL 55 AMG	260	354	18	24	30	*	consulta
CL - W215	CL 55 AMG K	368	500	18	24	30	*	consulta
CL - W215	CL 600	270	367	18	24	30	*	consulta
CL - W215	CL 600 5.5 Biturbo	368	500	33	45	60	*	consulta
CL - W216	CL 500	285	388	18	24	30	*	consulta
CL - W216	CL 63 AMG	386	525	13	18	20	*	consulta
CL - W216	CL 600	380	517	33	45	60	*	consulta
CL - W216	CL 65 AMG	450	612	35	48	80		consulta



Modelos - Gasolina

CLK - W208	CLK 200	100	136	11	15	15		consulta
CLK - W208	CLK 320	160	218	13	18	25		consulta
CLK - W208	CLK 430	205	279	15	20	30		consulta
CLK - W208	CLK 200K	120	163	10	14	15		consulta
CLK - W208	CLK 230K	142	193	11	15	20		consulta
CLK - W208	CLK 230K	145	197	10	14	20		consulta
CLK - W208	CLK 55 AMG	255	347	18	24	30		consulta

Modelos - Gasolina

CLK - W209	CLK 200K	120	163	10	14	15	*	consulta
CLK - W209	CLK 200K	135	184	10	14	15	*	consulta
CLK - W209	CLK 280 3.0	170	231	11	15	18	*	consulta
CLK - W209	CLK 240	125	170	11	15	18	*	consulta
CLK - W209	CLK 320	160	218	13	18	25	*	consulta
CLK - W209	CLK 350	200	272	13	18	25	*	consulta
CLK - W209	CLK 500	225	306	18	24	30	*	consulta
CLK - W209	CLK 500	285	388	18	24	30	*	consulta
CLK - W209	CLK 55 AMG	269	366	18	24	30	*	consulta
CLK - W209	CLK 63 AMG	354	481	18	24	30	*	consulta
CLK - W209	CLK 63 AMG	373	507	13	18	25	*	consulta
CLK - W209	CLK DTM AMG	428	582		0			consulta

Modelos - Diesel

CLK - W209	CLK 220 CDI	110	150	21	29	70		consulta
CLK - W209	CLK 270 CDI	125	170	26	35	85		consulta
CLK - W209	CLK 320 CDI 3.0	165	224	26	35	85		consulta



Modelos - Gasolina

CLS - C219	CLS 280	170	231	11	15	18	*	consulta
CLS - C219	CLS 350	200	272	13	18	25	*	consulta
CLS - C219	CLS 500	225	306	18	24	30	*	consulta
CLS - C219	CLS 500	285	388	18	24	30	*	consulta
CLS - C219	CLS 55 AMG K	350	476	18	24	30	*	consulta
CLS - C219	CLS 63 AMG	378	514	13	18	25	*	consulta

Modelos - Diesel

CLS - C219	CLS 320 CDI 3.0	165	224	26	35	85		consulta
------------	-----------------	-----	-----	----	----	----	--	----------

Modelos - Gasolina

E - W210	E 200	100	136	11	15	15	*	consulta
E - W210	E 200K	120	163	10	14	15	*	consulta
E - W210	E 230	110	150	10	14	15	*	consulta
E - W210	E 240	125	170	11	15	18	*	consulta
E - W210	E 280 R6	145	197	13	18	20	*	consulta
E - W210	E 280 V6	150	204	13	18	20	*	consulta
E - W210	E 320 R6	160	218	13	18	25	*	consulta
E - W210	E 320 V6	165	224	13	18	25	*	consulta
E - W210	E 430	205	279	15	20	30	*	consulta
E - W210	E 50 AMG	255	347	18	24	30	*	consulta
E - W210	E 55 AMG	260	354	18	24	30	*	consulta



Modelos - Diesel

E - W210	E 220 D	72	98	10	14	18		consulta
E - W210	E 200 CDI	75	102	20	27	60		consulta
E - W210	E 200 CDI	85	116	21	29	65		consulta
E - W210	E 220 CDI	92	125	20	27	65		consulta
E - W210	E 220 CDI	105	143	21	29	70		consulta
E - W210	E 270 CDI	125	170	26	35	85		consulta
E - W210	E 290 TD	95	129	25	34	75		consulta
E - W210	E 300 TD	130	177	26	35	75		consulta
E - W210	E 320 CDI	145	197	29	39	115		consulta

Modelos - Gasolina

E - W211	E 200 K	120	163	11	15	18	*	consulta
E - W211	E 240 2.6	125	170	11	15	18	*	consulta
E - W211	E 280 3.0	170	231	11	15	18	*	consulta
E - W211	E 320	165	224	13	18	25	*	consulta
E - W211	E 350	200	272	13	18	25	*	consulta
E - W211	E 500	225	306	18	24	30	*	consulta
E - W211	E 500	285	388	18	24	30	*	consulta
E - W211	E 55 AMG K	350	476	18	24	30	*	consulta
E - W211	E63 AMG	378	514	18	24	30	*	consulta



Modelos - Diesel

E - W211	E 200 CDI	90	122	23	31	80		consulta
E - W211	E 200 CDI	100	136	23	31	80		consulta
E - W211	E 220 CDI	110	150	21	29	70		consulta
E - W211	E 220 CDI	125	170	21	29	70		consulta
E - W211	E 270 CDI	130	177	26	35	85		consulta
E - W211	E 280 CDI 3.2 R6	130	177	29	39	95		consulta
E - W211	E 320 CDI 3.2 R6	150	204	29	39	95		consulta
E - W211	E 280 CDI 3.0 V6	140	190	33	45	95		consulta
E - W211	E 320 CDI 3.0 V6	165	224	26	35	85		consulta
E - W211	E 400 CDI	260	354	29	39	110		consulta
E - W211	E 420 CDI 4.0	231	314	29	39	110		consulta

Modelos - Gasolina

E - W212	E 200 CGI	135	184	26	35	40	*	consulta
E - W212	E 250 CGI	150	204	18	24	30	*	consulta
E - W212	E 300	170	231	11	15	18	*	consulta
E - W212	E 350	200	272	13	18	25	*	consulta
E - W212	E 350 CGI	215	292	11	15	18	*	consulta
E - W212	E 500	285	388	18	24	30	*	consulta
E - W212	E 63 AMG	386	525	11	15	18	*	consulta

Modelos - Diesel

E - W212	E 200 CDI	100	136	18	24	60		consulta
E - W212	E 220 CDI	120	163	21	29	65		consulta
E - W212	E 220 CDI	125	170	21	29	65		consulta
E - W212	E 250 CDI	150	204	23	31	65		consulta
E - W212	E 350 BlueTec	155	211	37	50	70		consulta
E - W212	E 350 CDI	170	231	26	35	70		consulta



Modelos - Gasolina

G - W463	G 320	158	215	13	18	25	*	consulta
G - W463	G 500	218	296	18	24	30	*	consulta
G - W463	G 500	285	388	18	24	30	*	consulta
G - W463	G 55 AMG	260	354	18	24	30	*	consulta
G - W463	G 55 AMG K	350	476	18	24	30	*	consulta
G - W463	G 55 AMG K	368	500	18	24	30	*	consulta
G - W463	G 55 AMG K	373	507	18	24	30	*	consulta
G - W463	G 63 AMG	326	444	18	24	30	*	consulta

Modelos - Diesel

G - W463	G 270 CDI	125	170	26	35	85		consulta
G - W463	G 300 TD	130	177	26	35	75		consulta
G - W463	G 400 CDI	184	250	37	50	115		consulta

Modelos - Gasolina

GL - X164	GL 450	250	340	18	24	30	*	consulta
GL - X164	GL 500	285	388	18	24	30	*	consulta

Modelos - Diesel

GL - X164	GL 320 CDI	165	224	26	35	85		consulta
GL - X164	GL 350 CDI	165	224	26	35	85		consulta
GL - X164	GL 350 BlueTec	155	211	37	50	70		consulta
GL - X164	GL 420 CDI	225	306	37	50	115		consulta
GL - X164	GL 450 CDI	225	306	37	50	115		consulta

Modelos - Gasolina

GLK - X204	GLK 280	170	231	11	15	18	*	consulta
GLK - X204	GLK 300	170	231	11	15	18	*	consulta
GLK - X204	GLK 350	200	272	13	18	25	*	consulta



Modelos - Diesel

GLK - X204	GLK 220 CDI	125	170	21	29	70		consulta
GLK - X204	GLK 250 CDI	150	204	23	31	65		consulta
GLK - X204	GLK 320 CDI	165	224	26	35	85		consulta

Modelos - Gasolina

ML - W163	ML 230	110	150	12	16	16	*	consulta
ML - W163	ML 320	165	224	13	18	25	*	consulta
ML - W163	ML 350	200	272	13	18	25	*	consulta
ML - W163	ML 430	205	279	15	20	30	*	consulta
ML - W163	ML 500	215	292	18	24	30	*	consulta
ML - W163	ML 55 AMG	260	354	18	24	30	*	consulta

Modelos - Diesel

ML - W163	ML 270 CDI	125	170	26	35	85		consulta
ML - W163	ML 400 CDI	184	250	37	50	115		consulta

Modelos - Gasolina

ML - W164	ML 350	200	272	13	18	25	*	consulta
ML - W164	ML 500	225	306	18	24	30	*	consulta
ML - W164	ML 500	285	388	18	24	30	*	consulta
ML - W164	ML 63 AMG	375	510	18	24	30	*	consulta

Modelos - Diesel

ML - W164	ML 280 CDI 3.0	140	190	33	45	95		consulta
ML - W164	ML 300 CDI	150	204	23	31	65		consulta
ML - W164	ML 320 CDI 3.0	165	224	26	35	85		consulta
ML - W164	ML 350 CDI	165	224	26	35	85		consulta
ML - W164	ML 350 CDI	170	231	26	35	70		consulta
ML - W164	ML 350 BlueTec	155	211	37	50	70		consulta
ML - W164	ML 420 CDI	225	306	37	50	115		consulta



Modelos - Gasolina

R - W251	R280	170	231	11	15	18	*	consulta
R - W251	R 350	200	272	13	18	25	*	consulta
R - W251	R 500	225	306	18	24	30	*	consulta
R - W251	R 500	285	388	18	24	30	*	consulta
R - W251	R 63 AMG	375	510	18	24	30	*	consulta

Modelos - Diesel

R - W251	R 280 CDI	140	190	33	45	95		consulta
R - W251	R 300 CDI	140	190	33	45	95		consulta
R - W251	R 320 CDI 3.0	165	224	26	35	85		consulta
R - W251	R 350 BlueTec	155	211	37	50	70		consulta
R - W251	R 350 CDI	165	224	26	35	85		consulta

Modelos - Gasolina

S - W140	S280 R6	145	197	13	18	20	*	consulta
S - W140	S 320 R6	160	218	13	18	25	*	consulta
S - W140	S 320 V6	165	224	13	18	25	*	consulta
S - W140	S 420	205	279	15	20	30	*	consulta
S - W140	S 500	235	320	16	22	30	*	consulta
S - W140	S 500	240	326	16	22	30	*	consulta
S - W140	S 600	291	396	18	24	30	*	consulta
S - W140	S 600	300	408	18	24	30	*	consulta

Modelos - Diesel

S - W140	S 300 TD	130	177	26	35	75		consulta
----------	----------	-----	-----	----	----	----	--	----------



Modelos - Gasolina

S - W220	S 320	160	218	13	18	25	*	consulta
S - W220	S 320	165	224	13	18	25	*	consulta
S - W220	S 430	205	279	15	20	30	*	consulta
S - W220	S 500	221	301	18	24	30	*	consulta
S - W220	S 500	225	306	18	24	30	*	consulta
S - W220	S 600	270	367	18	24	30	*	consulta
S - W220	S 55 AMG	260	354	18	24	30	*	consulta

Modelos - Diesel

S - W220	S 320 CDI	145	197	29	39	115		consulta
S - W220	S 400 CDI	184	250	37	50	115		consulta

Modelos - Gasolina

S - W221	S 350	200	272	13	18	25	*	consulta
S - W221	S 450	250	340	18	24	30	*	consulta
S - W221	S 500 5.5	285	388	18	24	30	*	consulta
S - W221	S 600 5.5	380	517	33	45	60	*	consulta
S - W221	S 65 AMG	450	612	35	48	80	*	consulta

Modelos - Diesel

S - W221	S 320 CDI 3.0	173	235	26	35	85		consulta
S - W221	S 420 CDI	235	320	37	50	115		consulta



Modelos - Gasolina

SL - R230	SL 280	170	231	11	15	18	*	consulta
SL - R230	SL 350	180	245	13	18	25	*	consulta
SL - R230	SL 350	200	272	13	18	25	*	consulta
SL - R230	SL 350	232	316	13	18	25	*	consulta
SL - R230	SL 500	225	306	18	24	30	*	consulta
SL - R230	SL 500 5.5	285	388	18	24	30	*	consulta
SL - R230	SL 55 AMG K	368	500	18	24	30	*	consulta
SL - R230	SL 55 AMG K	380	517	18	24	30	*	consulta
SL - R230	SL 600	368	500	33	45	60	*	consulta
SL - R230	SL 600	380	517	33	45	60	*	consulta
SL - R230	SL 63 AMG	386	525	13	18	25	*	consulta
SL - R230	SL 65 AMG Bi-Turbo	450	612	29	39	50	*	consulta
SL - R230	SL 65 AMG Bi-Turbo	493	670	29	39	50	*	consulta

Modelos - Gasolina

SLK - R170	SLK 200	100	136	11	15	15	*	consulta
SLK - R170	SLK 320	165	224	13	18	25	*	consulta
SLK - R170	SLK 200K	120	163	10	14	18	*	consulta
SLK - R170	SLK 230K	142	193	11	15	20	*	consulta
SLK - R170	SLK 230K	145	197	10	14	15	*	consulta
SLK - R170	SLK 32K AMG	260	354	13	18	22	*	consulta

Modelos - Gasolina

SLK - R171	SLK 200 K	120	163	11	15	18	*	consulta
SLK - R171	SLK 200 K	135	184	10	14	15	*	consulta
SLK - R171	SLK 280 3.0	170	231	11	15	18	*	consulta
SLK - R171	SLK 300	170	231	11	15	18	*	consulta
SLK - R171	SLK 350	200	272	13	18	25	*	consulta
SLK - R171	SLK 350	224	305	13	18	25	*	consulta
SLK - R171	SLK 55 AMG	265	360	18	24	30	*	consulta
SLK - R171	SLK 55 AMG	294	400	13	18	25	*	consulta



Modelos - Gasolina

W638	V 200 / Vito 113	95	129	11	15	17	*	consulta
W638	V 230 / Vito 114	105	143	12	16	17	*	consulta
W638	V 280	128	174	11	15	20		consulta

Modelos - Diesel

W638	Vito 108 CDI	72	98	16	22	50		consulta
W638	V 200 CDI / Vito 110 CDI	75	102	20	27	65		consulta
W638	V 220 CDI / Vito 112 CDI	92	125	20	27	65		consulta

Modelos - Gasolina

Vaneo - W414	Vaneo	60	82	7	10	10	*	consulta
Vaneo - W414	Vaneo	75	102	10	14	15	*	consulta
Vaneo - W414	Vaneo 1.9	92	125	11	15	17	*	consulta

Modelos - Diesel

Vaneo - W414	Vaneo CDI	55	75	15	20	60		consulta
Vaneo - W414	Vaneo 1.7 CDI	66	90	18	24	65		consulta

Modelos - Gasolina

Viano - W639	Viano 3.0	140	190	12	16	25	*	consulta
Viano - W639	Viano 3.2	160	218	12	16	25	*	consulta
Viano - W639	Viano 3.5	170	231	13	18	25	*	consulta
Viano - W639	Viano 3.5	190	258	13	18	25	*	consulta

Modelos - Diesel

Viano - W639	Viano 2.0 CDI	80	109	23	31	85		consulta
Viano - W639	Viano 2.0 CDI	85	115	21	29	70		consulta
Viano - W639	Viano 2.2 CDI	110	150	21	29	70		consulta
Viano - W639	Viano 3.0 CDI	150	204	23	31	85		consulta



Modelos - Gasolina

SLS	6.3 AMG	420	571	13	18	20	*	consulta
-----	---------	-----	-----	----	----	----	---	----------

Modelos - Gasolina

Vito – W639	Vito 119	140	190	12	16	25	*	consulta
Vito – W639	Vito 122	160	218	12	16	25	*	consulta
Vito – W639	Vito 123	170	231	13	18	25	*	consulta
Vito – W639	Vito 126	190	258	13	18	25	*	consulta

Modelos - Diesel

Vito – W639	Vito 109 CDI	65	88	20	27	65		consulta
Vito – W639	Vito 109 CDI	70	95	20	27	60		consulta
Vito – W639	Vito 111 CDI	80	109	23	31	80		consulta
Vito – W639	Vito 111 CDI	85	115	21	29	70		consulta
Vito – W639	Vito 115 CDI	110	150	21	29	70		consulta
Vito – W639	Vito 120 CDI	150	204	23	31	85		consulta

Modelos - Gasolina

Sprinter	x14	105	143	12	16	17	*	consulta
----------	-----	-----	-----	----	----	----	---	----------

Modelos - Diesel

Sprinter	x08 CDI	60	82	20	27	60		consulta
Sprinter	x11 CDI	80	109	23	31	80		consulta
Sprinter	x13 CDI	92	125	20	27	65		consulta
Sprinter	x16 CDI	115	156	21	29	70		consulta

Modelos - Gasolina

Sprinter II – W€x16		115	156	12	16	20		consulta
Sprinter II – W€x24		190	258	13	18	25	*	consulta



Modelos - Diesel

Sprinter II – W€x09 CDI	65	88	20	27	65	consulta
Sprinter II – W€x10 CDI	70	95	20	27	60	consulta
Sprinter II – W€x11 CDI	80	109	23	31	80	consulta
Sprinter II – W€x13 CDI	95	129	20	27	65	consulta
Sprinter II – W€x15 CDI	110	150	21	29	70	consulta
Sprinter II – W€x16 CDI	120	163	20	27	70	consulta
Sprinter II – W€x18 CDI	135	184	23	31	80	consulta
Sprinter II – W€x19 CDI	150	204	21	29	75	consulta